



VESTIBULAR MIGRAINE WORD MATCH

TERMS

- ___ Accommodation
- ___ Acephalgic
- ___ Acuity
- ___ Anxiety
- ___ Brain fog
- ___ Cephalalgia
- ___ Chronic
- ___ Concussion
- ___ Convergence
- ___ Diplopia
- ___ Dizziness
- ___ Emesis
- ___ Fixation
- ___ Hemianopia
- ___ Idiopathic
- ___ Imbalance
- ___ Neuro-Ophthalmologist
- ___ Nystagmus
- ___ Ocular Pertaining to the eyes or vision.
- ___ Ophthalmoplegia
- ___ Optokinetic
- ___ Optometrist
- ___ Oscillopsia
- ___ Paroxysmal
- ___ Photophobia
- ___ Prism
- ___ Saccades
- ___ Smooth
- ___ SVA
- ___ Trigger
- ___ Unilateral
- ___ Vergence
- ___ Vertigo
- ___ Vestibular
- ___ VOR
- ___ Videonystagmography

VESTIBULAR DISORDERS ASSOCIATION



DEFINITIONS

- A. Involuntary, alternating, rapid and slow movements of the eyeballs.
- B. Act of refocusing on a visual image.
- C. Without head pain.
- D. Weakness of one or more of the eye muscles that control eye movement.
- E. Sharpness of vision.
- F. Eye movements that occur in response to sustained rotations of objects that encompass a large portion of the visual field.
- G. A mental health disorder characterized by feelings of worry, anxiety, or fear that are strong enough to interfere with one's daily activities.
- H. A doctor who examines the eyes to determine visual acuity and eye health.
- I. When the brain is dedicating a great deal of energy to maintain equilibrium and stay steady, activities such as recalling details or short-term memory may become more difficult, and thinking might seem slow.
- J. Inability for eyes to focus on an object when a person's body and/or head is moving, people may experience blurred or "jumping" vision.
- K. Head pain.
- L. Recurrent and sudden intensification of symptoms.
- M. A disease or symptom that is long-lasting.
- N. Fear/sensitivity to light.
- O. An abbreviation meaning: A reflex that coordinates the visual and vestibular system to assist in clear vision and balance.
- P. A brain injury caused by the head striking an object or a quick acceleration/deceleration of the head without any contact.
- Q. _____ glasses: A special type of glasses that may be used to help correct deficits in binocular vision.
- R. Something of unknown cause.

VESTIBULAR DISORDERS ASSOCIATION



- S. Measurement of eye movements with the use of video.
- T. Moving the eyes toward one another to assist with clear vision.
- U. _____ pursuit: The process of the eyes focused on a moving target.
- V. Double vision.
- W. An abbreviation meaning: The ability to clearly see an object when the head is not moving.
- X. Non-specific term encompassing feelings of imbalance, spinning and lightheadedness.
- Y. Vomit
- Z. An event or circumstance or substance that is the cause of something (typically a symptom when dealing with vestibular disorders).
- AA. Maintenance of gaze on a single location.
- BB. Affecting only one side of the body.
- CC. Loss of sight affecting one half of the visual field (e.g. bitemporal hemianopia).
- DD. Abrupt, rapid movement of both eyes utilized to change the point of fixation (the point that the eyes are looking at).
- EE. Movement of the eyes in opposite directions used in adjusting to near or far vision.
- FF. Observable unsteadiness.
- GG. Dizziness characterized by a sense of spinning.
- HH. Ophthalmologists with a subspecialty that focuses on vision problems that are related to the nervous system, including the optic nerve and visual pathways.
- II. Involuntary, alternating, rapid and slow movements of the eyeballs.
- JJ. _____ Migraine: a disorder usually associated with headache, is extremely common and can cause several vestibular syndromes.

Pro Tip: Use [VeDA's Glossary](#) to search for related terms.

VESTIBULAR DISORDERS ASSOCIATION